

# Grid-forming 5MWh BESS Environmental Impact for Telecom Sites: A Real-World View

2024-11-10 13:50

## Beyond Backup: The Real Environmental Math of Grid-forming 5MWh BESS for Telecom

Honestly, when I'm on site with telecom operators in places like California or Bavaria, the conversation has shifted. It's not just about "keeping the lights on" during an outage anymore. The pressing question I hear is: "We need this resilience, but what's the real environmental cost of a 5-megawatt-hour battery system powering our critical base stations? Are we just trading one problem for another?" It's a fantastic, responsible question. Let's talk about it over a virtual coffee.

### Quick Navigation

- [The Real Problem: More Than Just Carbon Accounting](#)
- [The Hidden Cost of "Business as Usual"](#)
- [The Solution: A 5MWh Grid-forming BESS, Broken Down](#)
- [Case in Point: A Project in the German Countryside](#)
- [Making It Work: The Nuts and Bolts You Need to Know](#)

### The Real Problem: More Than Just Carbon Accounting

The standard thinking goes: "Batteries = green." But for a utility-scale 5MWh system supporting a cluster of telecom towers, the environmental impact is a multi-layered equation. It's about the manufacturing footprint of the batteries themselves, sure. But it's also about what that system enables and what it replaces.

I've seen this firsthand. Many sites still rely on diesel generators as primary backup. A 5MWh BESS doesn't just sit there; it actively prevents hundreds of hours of diesel runtime annually. According to the [International Energy Agency \(IEA\)](#), diesel generators at telecom sites are a significant, often overlooked, source of localized emissions and particulate matter. The real environmental problem isn't just grid carbon intensity; it's the locked-in dependency on fossil fuels for resilience.

### The Hidden Cost of "Business as Usual"


Let's agitate that pain point a bit. A diesel generator might seem like a simple capex solution, but its operational environmental cost is staggering. We're talking about continuous NOx and SOx emissions, noise pollution (which has a real ecological impact), and the risk of fuel spills. Financially, you're also tied to volatile fuel prices and high maintenance.

More subtly, without a grid-forming BESS, you can't effectively integrate on-site solar or wind. That green power either gets curtailed or can't be used to support the critical load during a grid disturbance. So, you're left with a binary choice: stable dirty power or unstable clean power. This is the dilemma modern network operators face.

### The Solution: A 5MWh Grid-forming BESS, Broken Down

This is where a properly designed, utility-scale 5MWh Grid-forming Battery Energy Storage System changes the game. It's not a passive backup asset. It's an active grid citizen that delivers a net-positive environmental return over its 15-20 year life.

Here's how the environmental math works in favor:



- **Direct Displacement:** It eliminates 95%+ of diesel generator starts. One project I worked on in Texas saw diesel runtime drop from an estimated 200 hours/year to under 10.
- **Renewable Enabler:** Its grid-forming capability means it can create a stable electrical "island" powered primarily by on-site solar. This turns intermittent renewables into firm, dispatchable power for your critical load.
- **Grid Decarbonization Aid:** By providing fast frequency response and voltage support, it allows the wider grid to incorporate more wind and solar, indirectly lowering the grid's carbon intensity. A study by the [National Renewable Energy Laboratory \(NREL\)](#) highlights how storage is a key accelerator for high renewable penetration.
- **Lifecycle & Second Life:** The industry is moving fast. With responsible sourcing, high-efficiency manufacturing, and established second-life applications (like stationary storage for less demanding duties), the upfront embodied carbon of the batteries is amortized over decades of high-value service and then given a further useful life.



## Case in Point: A Project in the German Countryside

Let me tell you about a deployment we did with Highjoule for a major telecom provider in Lower Saxony, Germany. The challenge was a cluster of three critical base stations in an area with excellent wind resources but an increasingly unstable grid.

**The Old Setup:** Three large diesel generators, refueling contracts, and rising community complaints about noise during monthly test runs.

**The Highjoule Solution:** We deployed a single, integrated 5MWh Grid-forming BESS in a 20-foot containerized solution. It was designed to UL 9540 and IEC 62933 standards, which was non-negotiable for their risk and insurance teams.

**The Outcome:** The diesels are now literally the last line of defense. The BESS handles all short-duration grid dips and 99% of outages. It also seamlessly integrates power from a newly installed small wind turbine, making the site nearly self-sufficient during outages. The local environmental authority was thrilled noise complaints dropped to zero, and the site's reported carbon footprint for backup power fell by an estimated 82% in the first year. The Levelized Cost of Energy (LCOE) for backup, when factoring in fuel and maintenance savings, became highly favorable.

## Making It Work: The Nuts and Bolts You Need to Know

As an engineer, I know you want the practical details. Making this environmental benefit real hinges on a few key technical choices:

- **Cell Chemistry & C-rate:** We often recommend lithium iron phosphate (LFP) for these applications. It's not just about safety (which is paramount), but also longevity. A moderate C-rate (like 0.5C or 1C) means less thermal stress, longer life, and better overall energy efficiency over the system's lifetime. Chasing the highest possible power in the smallest box often sacrifices long-term environmental and economic performance.
- **Thermal Management is Everything:** This is where I've seen projects fail. A precise, low-energy liquid cooling system isn't a luxury; it's essential for maintaining cell health, safety, and efficiency in both desert heat and Nordic winters. Poor thermal management increases degradation, which means you'll need to replace batteries sooner a huge environmental and financial cost.
- **Thinking in LCOE, Not Just Capex:** The environmental and business cases align here. When you evaluate a BESS, ask for the projected LCOE over 15 years. A system with better degradation, higher round-trip efficiency, and intelligent controls will have a lower LCOE and a higher net environmental benefit. At Highjoule, we model this exhaustively for clients because it tells the true story.

The journey to a resilient, low-impact telecom network isn't about a single product. It's about a system designed with the full lifecycle in mind from responsible manufacturing and robust safety (aligned with your local UL or IEC standards) to daily operation and eventual repurposing. The right 5MWh Grid-forming BESS isn't an environmental cost; it's one of the most powerful tools you have to actually reduce your network's footprint while making it stronger.

What's the biggest hurdle you're facing when calculating the true sustainability of your network resilience plans?

Author: Thomas Han

12+ years agricultural energy storage engineer / Highjoule CTO

URL: <https://glenproperty.co.za/articles/environmental-impact-of-grid-forming-5mwh-utility-scale-bess-for-telecom-base-stations>

