

# Step-by-Step Novec 1230 Fire Suppression BESS Installation for Telecom Sites

2025-01-28 14:29

## Contents

- [The Quiet Problem Every Telecom Operator Faces](#)
- [Why That Fear is More Than Justified](#)
- [A Cleaner, Smarter Solution](#)
- [The Step-by-Step Installation: From Pad to Power](#)
- [A Real-World Test: Lessons from a German Rollout](#)
- [The Expert Take: It's Not Just About the Box](#)
- [Your Next Step: What to Ask Your Vendor](#)

## The Quiet Problem Every Telecom Operator Faces

Let's be honest. When you're planning backup power for a remote telecom base station, the checklist is long. You're thinking about capacity, [Levelized Cost of Energy \(LCOE\)](#), footprint, and grid code compliance. But there's one item that often gets a nervous glance and then pushed down the list: fire safety. Specifically, fire safety for the battery energy storage system (BESS) that's going to sit out there, unattended, for years. The traditional answer has been water sprinklers or aerosol systems, which, frankly, can be a cure worse than the disease for sensitive electronics. Water damage from suppression can total a site faster than the fire itself.

## Why That Fear is More Than Justified

I've seen this firsthand. The industry data backs up the gut feeling. The [International Energy Agency \(IEA\)](#) notes the critical role of storage in grid stability, but with deployment soaring, safety protocols are racing to catch up. For a telecom operator, a BESS fire isn't just an asset loss. It's a network outage, a service level agreement (SLA) breach, a potential environmental incident, and a massive reputational hit. The financial impact extends far beyond replacing a container. It's about the cost of downtime, which for a major carrier, can run into millions per hour. The old mindset of "it probably won't happen" doesn't cut it anymore, not with insurers and local fire marshals demanding proven, third-party tested solutions.

## A Cleaner, Smarter Solution

This is where a dedicated, step-by-step approach to installing a BESS with a Novec 1230 fire suppression system becomes non-negotiable. Novec 1230 fluid is a clean agent that extinguishes fire by removing heat, leaves no residue, and is safe for humans and electronics. It's the gold standard for protecting critical infrastructure. But here's the key insight from two decades in the field: the suppression system is only as good as its integration into the BESS design and installation process. You can't just bolt it on as an afterthought. At Highjoule, we design our containerized BESS solutions from the ground up with this integration in mind, ensuring the entire system meets the rigorous UL 9540A test standard for fire safety, which is becoming a de facto requirement for permitting, especially in North America and the EU.





## The Step-by-Step Installation: From Pad to Power

So, what does a proper installation look like? It's a dance between mechanical, electrical, and safety systems. Forget the generic manuals; here's the real sequence that ensures reliability.

- Phase 1: Site Prep & Container Placement. It starts long before the BESS arrives. The foundation pad must be level and capable of handling the load. When the container is placed, we're already thinking about airflow for thermal management and access for the Novec 1230 storage cylinders and piping. Proximity to other structures per NFPA and local codes is critical.
- Phase 2: Mechanical & Safety System Integration. This is the core. The Novec 1230 piping network is installed within the container, with nozzles strategically placed to ensure uniform agent distribution in the battery compartment. The smoke and heat detection system (typically very early smoke detection apparatus - VESDA) is calibrated and tied directly to the control logic. We pressure-test the entire piping network before the battery racks even go in.
- Phase 3: Electrical Commissioning & System Interlock. After the battery modules and power conversion systems are installed and wired, we commission the electrical side. The most crucial step here is testing the interlock. We simulate a fault to verify that the BESS disconnects from the grid, the suppression system activates as designed, and all status signals are correctly sent to the site's SCADA or monitoring system. This closed-loop communication is what turns a box of batteries into an intelligent, safe asset.

## A Real-World Test: Lessons from a German Rollout

We deployed a series of BESS units for a telecom provider in North Rhine-Westphalia, Germany. The challenge was twofold: extreme space constraints at existing base stations and the local authority's newly adopted, strict interpretation of IEC 62933 standards for fire safety. Our solution was a compact, 250kWh containerized system with an integrated Novec 1230 system. The step-by-step installation protocol was our secret weapon. By having a certified, documented process for the fire suppression integration, we accelerated the permitting process by weeks. The local fire marshal reviewed our UL 9540A test reports and installation method statement and was satisfied the risk was mitigated. The client now has a resilient, safe power source that also participates in local grid frequency regulation, creating a new revenue stream.

## The Expert Take: It's Not Just About the Box

From the field, here's my blunt advice: don't just buy a BESS and a fire suppression system separately. You're buying a safety outcome. When evaluating, ask how the C-rate (the charge/discharge speed) of the batteries influences the thermal load and thus the sizing of the suppression system. A high C-rate battery might provide more lucrative grid services, but it also generates heat faster, requiring a more responsive safety design. The Thermal Management System (the HVAC inside the container) and the fire suppression must be a coordinated team. One prevents thermal runaway, the other contains it if prevention fails. At Highjoule, our engineering team models this interaction digitally before we build a single unit, optimizing for both performance and safety to give you the best LCOE over the system's life, not just the lowest upfront cost.



## Your Next Step: What to Ask Your Vendor

Before your next site deployment, have a coffee with your engineering team and ask your BESS provider these questions: Can you walk me through your specific installation sequence for the fire suppression system? Can you provide the UL 9540A test report for the exact battery model and enclosure configuration you're proposing? How is the suppression system monitored and maintained remotely? The answers will tell you everything you need to know. We built our company on making complex, safe storage simple to deploy because we've been the ones on site, turning the wrenches and facing the inspectors. The goal isn't just to install a system; it's to install confidence.

What's the single biggest hurdle you're facing with local fire code compliance for your BESS projects?

Author: Thomas Han

12+ years agricultural energy storage engineer / Highjoule CTO

URL: <https://glenproperty.co.za/articles/step-by-step-installation-of-novec-1230-fire-suppression-bess-battery-energy-storage-system-for-telecom-base-stations>